



CERAMIC TILE

DON'T TAKE IT UP--GO OVER IT WITH
FLEXKRETE
FOR A QUICK & BEAUTIFUL ENTRANCE OR FLOOR

Here is how it was done:

Scuffed up and/or grind any shiny surface off of the old tile.

Primed the tile and joints with FlexPrime.

Filled in and leveled out the joints using a slurry of FlexKrete with some fumed silica or fine sand added.

Rolled on catalyzed FlexKrete at about 75 sf a gallon, and immediately broadcasted medium grade blasting sand to refusal.

After brooming and blowing the surface to dislodge any loose sand, a top coat of FlexSealer 1000 was added.



THE BROKEN, WORN, UGLY & MISSING DON'T NEED TO BE REPLACED



SQUEEGEE A LOOSE FLECKRETE SLURRY TO QUICKLY LEVEL THE JOINTS AND FILL ALL VOIDS. BROADCAST AGGREGATE OF ANY TYPE AND COLOR, THEN SEAL



BEIGE WAS THE PERFECT COLOR MATCH FOR THIS HOSPITAL
ENTRANCE AND, IT WAS QUICKLY OPENED TO TRAFFIC

*"FLEXKRETE IS THE WORLD'S MOST UNIVERSAL PRODUCT,
AND IT SURE IS TUFF STUFF"*

MADE IN TEXAS, U.S.A.



Copyright © 2019 Protective Products Inc. dba FlexKrete Technologies, All rights reserved.
We send information on upcoming training and case studies.

Our mailing address is:

Protective Products Inc. dba FlexKrete Technologies
881 N Louisiana Dr
Celina, TX 75009

[Add us to your address book](#)

Want to change how you receive these emails?
You can [update your preferences](#) or [unsubscribe from this list](#).

